

# Implements and Machinery 2018/2019



Kilworth Machinery Ltd.  
Annwell Lane, Smisby, Ashby de la Zouch, LE65 2TA.  
Tel: 01530 412690

E-mail: [sales@kilworthmachinery.co.uk](mailto:sales@kilworthmachinery.co.uk) Website: [www.kilworthmachinery.co.uk](http://www.kilworthmachinery.co.uk)

- All prices exclude VAT
- All previous lists cancelled
- Carriage £60 on UK mainland except Scotland and South West England £80 (per machine)
- Optional extra prices apply when ordered with complete machine only

**Kilworth Hire - A large range of tractors and machinery for hire.  
Ask for details.**



|   |    |
|---|----|
| <b>Introduction to Kilworth</b>                   | 2  |
| <b>Rotary Mowers</b>                              |    |
| Pasture Toppers                                   | 4  |
| Sovema EM2 Finishing Mower                        | 5  |
| <b>Flail Mowers</b>                               |    |
| Dragone L Series Flail Mowers                     | 6  |
| Dragone MTL Series Flail Mowers                   | 7  |
| Dragone VOGT1/2 Series Professional Flail Mower   | 8  |
| Dragone VOGT3 Series Professional Flail Mowers    | 9  |
| Dragone AB Flail Collector                        | 10 |
| Sovema TRIS Flail Mower/Scarifier with collection | 11 |
| Intermac BS Side Arm Flail Mower                  | 12 |
| Forestry Flails                                   | 13 |
| <b>Sweeper</b>                                    |    |
| Intermac ST Sweeper                               | 14 |
| <b>Stone Buriers</b>                              |    |
| RotoBurier M Series, L Series                     | 15 |
| RotoBurier H Series                               | 16 |
| <b>Rotary Cultivators</b>                         |    |
| Sovema RB2/RP2 Rotary Cultivators                 | 17 |
| Sovema REC2/RTX Rotary Cultivators                | 18 |
| <b>Rotary Harrows</b>                             |    |
| RotoHarrow MTZ                                    | 19 |
| Sovema ERL3/ERX2 Rotary Harrow                    | 20 |
| <b>Trailers</b>                                   |    |
| TT Tipping Trailer                                | 21 |
| <b>Bio Shredders</b>                              |    |
| Negri Bio Shredders R70/R95                       | 22 |
| Negri Bio Shredders R225/R240                     | 23 |
| Negri Bio Shredders R255/R280                     | 24 |
| <b>Ploughs, Grader Blades</b>                     |    |
| VR Plough   | 25 |
| BR Plough   | 25 |
| SS Chisel Plough/Subsoiler                        | 25 |
| <b>Fertiliser Spreaders</b>                       |    |
| Agrex XL Fertiliser Spreaders/Salt Spreaders      | 26 |
| <b>Snow Ploughs</b>                               |    |
| LSN/LP Snow Ploughs                               | 27 |
| <b>Backhoes</b>                                   |    |
| GRE Backhoe                                       | 28 |
| <b>Hydraulic Forklifts</b>                        |    |
| SFK and CM Forklifts                              | 29 |
| <b>Goal Post Lifter</b>                           |    |
| Goal Post lifter for Rugby Posts                  | 30 |
| Goal Post lifter for Football Posts               | 30 |
| <b>Rollers, Grass Harrows</b>                     |    |
| FR Flat Roller                                    | 31 |
| SH Spring Tine Grass Harrow                       | 31 |
| CH Chain Harrows                                  |    |
| <b>Transport Box, Forestry Grab</b>               |    |
| BR Transport Box                                  | 32 |
| Forestry Grab                                     | 32 |
| <b>Forestry Winches</b>                           |    |
| Tajfun Forestry Winches                           | 33 |
| <b>Firewood Processors</b>                        |    |
| Tajfun RCA  | 34 |
| Tajfun RCA Accessories                            | 35 |
| <b>Log Splitters</b>                              |    |
| Tractor Mounted Log Splitter                      | 36 |
| Iris Electric Log Splitter                        | 36 |
| <b>Saw Benches</b>                                |    |
| Rosselli Saw Benches                              | 37 |
| <b>Forestry Trailer</b>                           |    |
| KFT Forwarding Trailer                            | 38 |
| <b>Concrete &amp; Compost Mixers</b>              |    |
| Fliegl SS/FA Pan Mixers                           | 39 |
| Special Build Machinery                           | 40 |



Kilworth is a family business involving two generations of Parnhams. The family have been in the farm and garden machinery trade for over 50 years. Kilworth became a specialist in machinery for compact tractors over 30 years ago. The business has grown every year since then and is now firmly established as a major supplier to the landscaping and ground care industries.



- *Purpose built PDI and service department*

- All machines within this catalogue normally available from stock.
- All machines undergo a thorough pre-delivery preparation before dispatch.
- All Kilworth products are backed by high levels of parts stocks and an in-depth technical knowledge of every machine.



- For further information please contact Kilworth by any of the following means:
- Telephone:      Office                      01530 412690  
                         Mark Parnham              07785 378070  
                         Andrew Parnham          07831 805472  
                         Andrew Finch              07887 568622
- Email:              Office: [sales@kilworthmachinery.co.uk](mailto:sales@kilworthmachinery.co.uk)
- Website:           [www.kilworthmachinery.co.uk](http://www.kilworthmachinery.co.uk)



Please ask for information on our other products



● *BCS Tractors*



● *Remote Control Green Climber*



● *Ferrari two wheeled tractors*



● *Hustler Zero Turn Mowers*



● *Fliegl Concrete Mixers*



● *Farma Forestry Trailers and cranes*

Pasture Toppers



● SG 150

- Toppers are suitable for use on grass and light scrub. They are ideal for paddocks.
- Single gearbox driven rotor with swinging tip blades.
- Floating 3 point hitch for working on undulating ground.
- Adjustable skids.



● TE

| Model  | Working Width |     | Overall Width |     | Weight kg | HP Required | Price | Code |
|--------|---------------|-----|---------------|-----|-----------|-------------|-------|------|
| SG 120 | 1.2 m         | 48" | 1.35 m        | 54" | 240       | 18 - 30     | £1290 | A1   |
| SG 150 | 1.5 m         | 60" | 1.65 m        | 65" | 305       | 25 - 40     | £1405 | A1   |
| SG 180 | 1.8 m         | 72" | 1.95 m        | 77" | 385       | 35 - 70     | £1530 | A1   |
| TE100  | 1.0 m         | 39" | 1.1 m         | 43" | 148       | 12 - 35     | £1380 | A1   |
| TE130  | 1.3 m         | 51" | 1.4 m         | 55" | 190       | 15 - 35     | £1460 | A1   |

| Optional Extra        | Price | Code |
|-----------------------|-------|------|
| Rear roller (TE only) | £195  | A1   |



Sovema EM3 Finishing Mower

● EM3



- For regularly maintained grass areas where a quality finish is required.
- 3 rotary blades.
- Power transmission via central gearbox and 2 vee belts.
- Rear discharge.
- 4 castor wheels (rear roller option).
- Fully floating 3 point linkage.
- Easily converted to front mounting.
- Cutting height from 3cm to 10cm.

| Model  | Working Width |     | Overall Width |     | Weight kg | HP Required | Price | Code |
|--------|---------------|-----|---------------|-----|-----------|-------------|-------|------|
| EM3 48 | 1.2 m         | 48" | 1.27 m        | 50" | 180       | 12 - 20     | £2080 | A1   |
| EM3 60 | 1.5 m         | 60" | 1.57 m        | 62" | 210       | 15 - 30     | £2300 | A1   |
| EM3 72 | 1.8 m         | 72" | 1.88 m        | 74" | 260       | 18 - 35     | £2540 | A1   |
| EM3 84 | 2.1 m         | 84" | 2.18 m        | 88" | 295       | 30 - 45     | £2950 | A1   |

● Rear Roller Option



| Optional Extras                             |          | Price | Code |
|---|----------|-------|------|
| Over-run clutch on pto                      |          | £125  | A1   |
| 1000/2000 rpm gearbox                       |          | £195  | A1   |
| Front mounting kit                          |          | £200  | A1   |
| Rear Roller (in lieu of rear wheels) EM3 48 |          | £440  | A1   |
| Rear Roller                                 | " EM3 60 | £480  | A1   |
| Rear Roller                                 | " EM3 72 | £510  | A1   |
| Rear Roller                                 | " EM3 84 | £600  | A1   |



## Dragone L Series Flail Mowers



● *Dragone L*

Standard Flail



● *Dragone L with hydraulic side shift option*

- Flail mower for grass areas and light scrub land.
- Forged Steel 'duck foot' flails give a fine finish on grass but have sufficient weight to tackle scrub land growth.
- Heavy duty gearbox with over-run clutch and 3 transmission belts.
- Rear roller (adjustable for height of cut) and side skids.
- Hydraulic side shift and front mounted options.
- Rotor bearings protected inside rotor.
- Mulching bar integrated into hood.
- LP has extra frame reinforcing.

| Model  | Working Width | Overall Width | Weight kg | HP Required | Price | Code |
|--------|---------------|---------------|-----------|-------------|-------|------|
| L 100  | 1.0 m         | 1.06 m        | 152       | 12 - 25     | £2570 | A1   |
| LP 115 | 1.15 m        | 1.21 m        | 160       | 15 - 30     | £2730 | A1   |
| LP 130 | 1.3 m         | 1.36 m        | 168       | 20 - 35     | £2790 | A1   |
| LP 145 | 1.45 m        | 1.51 m        | 176       | 25 - 40     | £2915 | A1   |
| LP 160 | 1.6 m         | 1.66 m        | 224       | 30 - 40     | £3135 | A1   |

| Optional Extras      | Price | Code |
|----------------------|-------|------|
| Hydraulic Side Shift | £480  | A1   |
| Front Mount Version  | £375  | A1   |
| 1000/2000rpm PTO     | £190  | A1   |

## Dragone MTL/VL Series Flail Mowers



● **MTL 160**

● **VL**

- Flail mower for grass areas and scrub land.
- Standard forged hammer flails give an excellent finish to grass but have sufficient weight to tackle heavier growth on scrub land.
- Heavy duty gearbox with built-in over-run clutch. 3 transmission belts.
- Rear roller (adjustable for height of cut) and side skids.
- Rotor bearings protected inside rotor.
- Mulching bar integrated into hood.
- Spiral rotor system. Flails are mounted in a spiral around the rotor tube. Smoother drive, less power and a finer finish.
- Rotor drive shaft is the full length of the rotor - not stubs welded at each end.
- Hydraulic side shift standard. Manual available.

| Model   | Working Width | Side shift | Weight kg | HP Required | Price | Code |
|---------|---------------|------------|-----------|-------------|-------|------|
| MTL-120 | 1.2 m         | 250 mm     | 240       | 22-30       | £3570 | A1   |
| MTL-140 | 1.4 m         | 300 mm     | 275       | 25-35       | £3790 | A1   |
| MTL-160 | 1.6 m         | 400 mm     | 320       | 28-40       | £3960 | A1   |
| MTL-180 | 1.8 m         | 400 mm     | 355       | 30-50       | £4230 | A1   |
| VL-200  | 2.0 m         | 500 mm     | 590       | 50-70       | £4750 | A1   |
| VL-220  | 2.2 m         | 500 mm     | 615       | 55-70       | £5250 | A1   |
| VL-240  | 2.4 m         | 500 mm     | 680       | 60-80       | £5400 | A1   |

| Optional Extras             | Price | Code |
|-----------------------------|-------|------|
| Reversible connection (MTL) | £720  | A1   |
| Reversible connection (VL)  | £1185 | A1   |



- *Standard flail*



## Dragone VOGT1/VOGT2 Series Professional Flail Mowers



- VOGT1-175
- VOGT1-175 Reversible
- Heavy duty flail motors suitable for cutting grass and heavy scrub land.
- All models constructed from 6mm plate with 8mm end plates.
- D models have a double skin frame with extra 5mm inner plate.
- Hydraulic side shift (requires one double acting spool valve). Mechanical side shift on request.
- Height adjustable roller with greasable and protected internal bearings.
- Heavy hammer flails fitted as standard. The flail design gives a good finish on fine or rough areas.
- Integral mulching bar.
- Roller bearings protected inside rotor
- Optional reverse drive system for use on front linkage or reverse drive tractors.



- Spiral rotor system, smooth drive, low power, finer cut.



- Smooth end plate prevents snagging on undergrowth particularly when mowing hedgerows.

| Model      | Work Width | Side Shift | Weight kg | No. Flails | No. Drive belts | HP Required | Price | Code |
|------------|------------|------------|-----------|------------|-----------------|-------------|-------|------|
| VOGT 1-140 | 1.4 m      | 400mm      | 385       | 16         | 4               | 30 - 70     | £4525 | A1   |
| VOGT1-160  | 1.6 m      | 450mm      | 530       | 18         | 4               | 30 - 70     | £4750 | A1   |
| VOGT1-175  | 1.75 m     | 500mm      | 560       | 20         | 5               | 40 - 70     | £5300 | A1   |
| VOGT1-175D | 1.75 m     | 500mm      | 650       | 20         | 5               | 40 - 90     | £5850 | A1   |
| VOGT1-200D | 2.0 m      | 500mm      | 730       | 22         | 5               | 50 - 90     | £6400 | A1   |
| VOGT2-220D | 2.2 m      | 500mm      | 970       | 24         | 6               | 60 - 90     | £6980 | A1   |
| VOGT2-240D | 2.4 m      | 500mm      | 1045      | 26         | 6               | 70 - 100    | £7500 | A1   |



- Standard Flail

| Optional Extras             | Price | Code |
|-----------------------------|-------|------|
| Reversible connection VOGT1 | £850  | A1   |
| Reversible connection VOGT2 | £1350 | A1   |
| 1000rpm PTO                 | £225  | A1   |



# Dragone VOGT3 Series Professional Flail Mowers



- *VOGT3 260*
- Heavy duty flail mowers suitable for cutting grass and heavy scrub land.
- Constructed from 6mm plate with 10mm end plates.
- Double skin frame with 5mm plate inner skin fully welded.
- Large diameter rotor (300mm) with full length drive shaft.
- Hydraulic side shift (requires one double acting spool valve).
- Rotor bearings protected inside rotor
- Height adjustable large diameter rear roller with greasable and protected internal bearings.
- Heavy hammer flails fitted as standard. The flail design gives a good finish on fine or rough areas.
- Integral mulching bar.
- Optional reverse drive system or front linkage mounted.
- 6 drive belts with tensioner and cooling system. 1000rpm PTO.



- Spiral rotor system, smooth drive, low power, finer cut.



- Smooth end plate prevents snagging on undergrowth particularly when mowing hedgerows.

| Model     | Work Width | Side Shift | Weight kg | No. Flails | No. Drive belts | HP Req  | Price | Code |
|-----------|------------|------------|-----------|------------|-----------------|---------|-------|------|
| VOGT3-260 | 2.6 m      | 600mm      | 1250      | 28         | 6               | 90-120  | £7950 | A1   |
| VOGT3-280 | 2.8 m      | 600mm      | 1330      | 30         | 6               | 90-120  | £8330 | A1   |
| VOGT3-300 | 3.0 m      | 600mm      | 1405      | 32         | 6               | 100-130 | £8680 | A1   |
| VOGT3-320 | 3.2 m      | 600mm      | 1485      | 34         | 6               | 100-150 | £9300 | A1   |



- *VOGT 260*



- *Standard Flail*

| Optional Extras       | Price | Code |
|-----------------------|-------|------|
| Front mounted         | £400  | A1   |
| Reversible connection | £1400 | A1   |

Dragone AB Series Flail Mower Collector



- Hammer Flails.
- Low tip hopper controlled hydraulically.
- Heavy duty rotor with internal bearings.
- Multi-belt drive with cooling fan.
- Large diameter adjustable rear roller with protected internal bearings.
- Integral mulching bar.



| Model | Working Width | Hopper Volume | Weight kg | HP Required | Price  |
|-------|---------------|---------------|-----------|-------------|--------|
| AB130 | 1.3 m         | 1.2 cbm       | 460       | 35 - 50     | £7160  |
| AB150 | 1.5 m         | 1.4 cbm       | 535       | 40 - 60     | £7450  |
| AB200 | 2.0 m         | 2.1 cbm       | 770       | 50 - 80     | £9400  |
| AB220 | 2.2 m         | 2.3 cbm       | 840       | 60 - 80     | £10900 |
| AB240 | 2.4 m         | 2.5 cbm       | 875       | 70 - 90     | £11700 |



# Sovema TRIS Flail Mower/Scarifier with collection



● TRIS - H : High Tip



● TRIS - L : Low Tip

- Gives a clean finish on grass areas.
- Paddle type flails cut grass and blow it directly into hopper.
- Hydraulic unloading of hopper.
- Rear roller with scraper.
- Scarifying flail option.
- Twin belt drive.
- TRIS - H:  
1.7m unloading height.  
Rear castor support wheels.

|                        |  |
|------------------------|--|
| Grass Cutting<br>Flail |   |
| Scarifying<br>Flail    |  |

| Model      | Working Width |     | Overall Width |     | Weight kg | HP Required | Price  | Code |
|------------|---------------|-----|---------------|-----|-----------|-------------|--------|------|
| TRIS L 120 | 1.2 m         | 48" | 1.38 m        | 55" | 445       | 25 - 35     | £6290  | A1   |
| TRIS L 150 | 1.5 m         | 60" | 1.65 m        | 66" | 500       | 29 - 45     | £6720  | A1   |
| TRIS L 180 | 1.8 m         | 72" | 1.95 m        | 78" | 540       | 35 - 60     | £7080  | A1   |
| TRIS H 120 | 1.2 m         | 48" | 1.38 m        | 55" | 670       | 20 - 35     | £9100  | A1   |
| TRIS H 150 | 1.5 m         | 60" | 1.65 m        | 66" | 740       | 25 - 45     | £9760  | A1   |
| TRIS H 180 | 1.8 m         | 72" | 1.95 m        | 78" | 810       | 35 - 60     | £10600 | A1   |

| Scarifying Flails       | Price | Code |
|-------------------------|-------|------|
| 120 64 Flails + 32 Fans | £720  | A1   |
| 150 80 Flails + 40 Fans | £850  | A1   |
| 180 96 Flails + 48 Fans | £960  | A1   |



Intermac BS Side Arm Flail Mower



● BS 82



● BS 72

- Suitable for grass and hedge cutting on banks, verges, general estate maintenance.
- Designed specifically for compact tractors up to 60hp.
- 0.7 m to 1.0 m flail head with reversible rotor (depending on model).
- Back to back flails.
- Self-contained hydraulic system driven off tractor PTO (540rpm).
- Rotor speed 3000 rpm.
- 3-lever control (BS 62); 4-lever control (BS 72/82).
- Folds tightly behind tractor.
- Models BS 72/82 have a bi-directional cutting head and will cut either side of the tractor. The cutting arm moves from side to side hydraulically.



● BS 82



● BS 62



● Fitting/Guard Kit

| Model | Flail Width | Reach | Weight kg | HP Required | Price  | Code |
|-------|-------------|-------|-----------|-------------|--------|------|
| BS62  | 0.7 m       | 2.6 m | 265       | 15 - 35     | £8200  | A1   |
| BS72  | 0.8 m       | 3.0 m | 280       | 20 - 45     | £9240  | A1   |
| BS82  | 0.8 m       | 4.2 m | 535       | 35 - 60     | £13270 | A1   |

| Option                              | BS 62 | BS 72/82 |
|-------------------------------------|-------|----------|
| Tractor fitting kit inc. mesh guard | £510  | £590     |

| Optional Extra                   | Price | Code |
|----------------------------------|-------|------|
| Cutter bar head 1.2m             | £2970 | A1   |
| Cutter bar head in lieu of flail | £1200 | A1   |
| 1.0 m head on BS 72/82           | £415  | A1   |
| Electric Joystick Control        | £1990 | A1   |

## Dragone HFS Forestry Mulcher



- 360 degree swinging hammers.
- Heavy duty skids.
- Hydraulically adjustable rear cover.
- Manually adjustable guide bar.

| Model   | Working Width | Overall Width | Weight kg | HP Required | Price  | Code |
|---------|---------------|---------------|-----------|-------------|--------|------|
| HFS 150 | 1.5m          | 1.7m          | 1110      | 70 - 100    | £14270 | A1   |
| HFS 200 | 2.0m          | 2.2m          | 1500      | 80 - 120    | £17675 | A1   |
| HFS 225 | 2.25m         | 2.48m         | 1700      | 100 - 150   | £19180 | A1   |

## Dragone TS Hydraulic Flail heads for excavators



- Hydraulic driven flail heads suitable for mounting on excavators.
- Hammer flails, suitable for scrub clearance.
- Connection bracket and hydraulic hoses not included - contact kilworth with excavator details for a quote.

| Model   | Working Width | Weight | Min Oil flow required | No. of hammers | Price | Code |
|---------|---------------|--------|-----------------------|----------------|-------|------|
| TSL60   | 60cm          | 110kg  | 20 L/min              | 12             | £3325 | A1   |
| TSL80   | 80cm          | 115kg  | 22 L/min              | 14             | £3480 | A1   |
| TSLP100 | 100cm         | 151kg  | 30 L/min              | 16             | £3990 | A1   |
| TSV110  | 110cm         | 226kg  | 40 L/min              | 12             | £4510 | A1   |



## Intermac ST Sweeper



● *ST120/C with 3 point hitch and hydraulic tip options*

- The ST sweeper is designed to sweep and collect grass, leaves, litter and horse manure
- Standard machine is trailed and is fitted with manual tipping collection hopper.
- Driven from tractor PTO.
- Fully adjustable brush height.
- Gearbox and chain transmission.
- Hydraulic tipping hopper is optional and requires one double acting service.
- Floating linkage allows sweeper to follow ground contours.



● *Nylon brush with 4 replaceable sections*

| Model   | Working Width |     | Overall Width |     | HP Required | Price | Code |
|---------|---------------|-----|---------------|-----|-------------|-------|------|
| ST120/C | 1.2 m         | 48" | 1.5 m         | 60" | 15 - 30     | £3590 | A1   |
| ST150/C | 1.5 m         | 60" | 1.8 m         | 72" | 15 - 30     | £4150 | A1   |



● *Optional Gulley Brush*

| Optional Extra                | Price | Code |
|-------------------------------|-------|------|
| Hydraulic Tip                 | £850  | A1   |
| 3-point linkage mounted ST120 | £390  | A1   |
| 3-point linkage mounted ST150 | £530  | A1   |
| Gulley Brush                  | £1260 | A1   |



## RotoBurier



● 126 with packer roller option.

- For use as a finishing machine on any area where a fine and level seedbed is required.
- Buries stones and debris to a max. depth of 150mm leaving fine soil on the surface.
- For tractors 20 - 60hp.
- Mechanical side shift.
- Replaceable inner skin over rotor.
- Mesh rear roller with cable scraper (Packer Roller option is shown in main picture).
- Easy access to blades.
- Slip clutch on pto shaft.
- Folding rear roller.
- High blade density gives optimum performance.
- Adjustable rear levelling board.



● 110L



OPTIONS: Seeder Unit

| Model | Working Width |     | Overall Width |     | Weight kg | HP Required | Price | Code |
|-------|---------------|-----|---------------|-----|-----------|-------------|-------|------|
| 100L  | 1.1 m         | 43" | 1.33 m        | 52" | 250       | 18 - 20     | £6100 | A1   |
| 130L  | 1.3 m         | 52" | 1.53 m        | 61" | 305       | 24 - 30     | £6500 | A1   |
| 126M  | 1.26 m        | 49" | 1.5 m         | 59" | 400       | 24 - 40     | £7950 | A1   |
| 140M  | 1.4 m         | 56" | 1.66 m        | 65" | 450       | 30 - 50     | £8250 | A1   |
| 170M  | 1.66 m        | 65" | 1.93 m        | 76" | 490       | 38 - 60     | £8900 | A1   |

| Optional Extras         | Price | Code |
|-------------------------|-------|------|
| Hydraulic Top Link      | £340  | A1   |
| Packer Roller 110L/130L | £600  | A1   |
| Packer Roller 126M      | £680  | A1   |
| Packer Roller 140M      | £770  | A1   |
| Packer Roller 170M      | £860  | A1   |

| Optional Extras  | Price | Code |
|------------------|-------|------|
| Seeder Unit 126M | £2880 | A1   |
| Seeder Unit 140M | £3160 | A1   |
| Seeder Unit 170M | £3450 | A1   |

● Note: Packer Roller is in lieu of mesh roller.

## RotoBurier Stones H Series



- Heavy duty stone burier for creating a seedbed finish over larger areas.
- Buries stones and debris to a maximum depth of 250mm.
- For tractors up to 150HP.
- Heavy duty reinforced rotor and blades.
- Adjustable rear packer roller and levelling board.
- Multispeed gearbox.
- Double skin frame.
- PTO shaft with slip clutch.

| Model   | Working Width | Overall Width | Weight kg | HP Required | Price  | Code |
|---------|---------------|---------------|-----------|-------------|--------|------|
| IS 185H | 1.85 m        | 2.3 m         | 1050kg    | 60-90       | £19150 | A1   |
| IS 205H | 2.05 m        | 2.5 m         | 1250kg    | 70-100      | £20275 | A1   |
| IS 225H | 2.25 m        | 2.7 m         | 1300kg    | 80-100      | £21990 | A1   |
| IS 245H | 2.45 m        | 2.9 m         | 1350kg    | 90-115      | £23725 | A1   |
| IS 295H | 2.95 m        | 3.4m          | 1480kg    | 100-130     | £26590 | A1   |

| Optional Extras  | Price | Code |
|--|-------|------|
| PTO shaft with cam clutch                                    | £590  | A1   |
| Hydraulic roller adjustment                                  | £630  | A1   |
| Double drive transmission with chain drive each end 540 rpm  | £2415 | A1   |
| Double drive transmission with chain drive each end 1000 rpm | £4135 | A1   |



## Sovema RB2/RP2 Rotary Cultivators



- *RP Model shown.*
- *Guards removed for clarity only.*

- Heavy duty rotary cultivator designed for commercial use.
- For cultivation in horticultural and landscaping applications.
- For tractors 12 - 50hp.
- Single speed gearbox and chain drive.
- Adjustable skids for depth control.
- Curved speed blades as standard (4 blades per flange – can be fitted with 6 blades per flange).
- Slip clutch on pto shaft.

| Model   | Working Width |     | Overall Width |     | Weight kg | HP Required | Price | Code |
|---------|---------------|-----|---------------|-----|-----------|-------------|-------|------|
| RB3 100 | 1.0 m         | 40" | 1.12 m        | 44" | 200       | 12 - 25     | £2385 | A1   |
| RP2 120 | 1.2 m         | 48" | 1.32 m        | 52" | 265       | 18 - 30     | £2650 | A1   |
| RP2 140 | 1.4 m         | 56" | 1.52 m        | 60" | 280       | 24 - 40     | £2700 | A1   |
| RP2 150 | 1.5 m         | 60" | 1.62 m        | 64" | 290       | 26 - 45     | £2815 | A1   |
| RP2 160 | 1.6 m         | 63" | 1.7 m         | 67" | 305       | 30 - 50     | £2980 | A1   |

Sovema REC 2/RTX Rotary Cultivators



- REC 2 Model shown.
- Guards removed for clarity only.
- For horticultural and landscaping applications.
- For tractors 35 - 150hp.
- 4 speed gearbox and chain in oil drive (Gear drive option to order).
- Adjustable skids for depth control.
- Curved speed blades as standard (6 per flange).
- Slip clutch on pto shaft.
- RTX has double skin frame for heavy duty applications.

| Model     | Working Width |      | Overall Width |      | Weight kg | HP Required | Price | Code |
|-----------|---------------|------|---------------|------|-----------|-------------|-------|------|
| REC 2 180 | 1.8 m         | 71"  | 1.9 m         | 76"  | 385       | 45 - 65     | £4910 | A1   |
| REC 2 200 | 2.0 m         | 79"  | 2.1 m         | 84"  | 460       | 55 - 70     | £5250 | A1   |
| RTX2- 200 | 2.0 m         | 79"  | 2.1 m         | 84"  | 640       | 65 - 90     | £7550 | A1   |
| RTX2- 230 | 2.3 m         | 90"  | 2.4 m         | 95"  | 690       | 80 - 100    | £8035 | A1   |
| RTX2- 250 | 2.5 m         | 98"  | 2.6 m         | 103" | 760       | 90 - 120    | £9280 | A1   |
| RTX2- 300 | 3.0 m         | 118" | 3.1 m         | 123" | 870       | 100 - 150   | £9650 | A1   |



● RTX 200

| Optional Extras (RTX) |     | Price | Code |
|-----------------------|-----|-------|------|
| Cage Roller           | 200 | £1540 | A1   |
| Cage Roller           | 230 | £1750 | A1   |
| Cage Roller           | 250 | £1810 | A1   |
| Cage Roller           | 300 | £1975 | A1   |



## RotoHarrow MTZ



- *Optional seeder unit for applying grass seed or fertiliser in one pass.*

- Rotary Harrow for creating a fine, level seedbed.
- Suitable for tractors from 12hp to 40hp.
- Lightweight, robust design and low power consumption - larger machines can be handled by smaller tractors.
- High speed, contra-rotating rotors (each with 2 tines) spaced at only 135mm to give a fine tilth.
- All rotors are gear driven and are mounted on 2 widely spaced bearings for long life and quiet running.
- All drive components in oil filled trough - low maintenance.
- Fully adjustable depth control.
- Complete with rear roller and front levelling bar.
- Optional seeder unit has positive chain drive from rear roller and remote seed shut-off lever.



| Model   | Working Width | Overall Width | Weight kg | HP Required | Price | Code |
|---------|---------------|---------------|-----------|-------------|-------|------|
| MTZ 135 | 1220 mm       | 1350 mm       | 220       | 15 - 25     | £4450 | A1   |
| MTZ 150 | 1400 mm       | 1500 mm       | 250       | 18 - 30     | £4650 | A1   |
| MTZ 170 | 1550 mm       | 1700 mm       | 280       | 22 - 40     | £4875 | A1   |

| Optional Extras  | Hopper Capacity | Price | Code |
|--|-----------------|-------|------|
| Seeder Unit SMG 135                                      | 60 litres       | £2275 | A1   |
| Seeder Unit SMG 150                                      | 68 litres       | £2550 | A1   |
| Seeder Unit SMG 170                                      | 80 litres       | £2810 | A1   |
| Seeder unit price only applies when ordered with machine |                 |       |      |

### No cost option

Crumbler roller in lieu of mesh roller

## Sovema ERL3/ERX3 Rotary Harrows



● *ERL3 150*



● *ERX3*

- For seedbed preparation in horticultural and landscaping applications.
- Single speed 540 rpm gearbox (4-speed on ERX3).
- Adjustable rear levelling bar.
- Round tine holders for added stone protection.
- Rear cage type roller as standard.
- Oversize rotor bearings for long life.

| Model    | Working Width |      | Overall Width |      | Weight kg | HP Required | Price | Code |
|----------|---------------|------|---------------|------|-----------|-------------|-------|------|
| ERL3 130 | 1.3 m         | 51"  | 1.37 m        | 54"  | 372       | 24 - 35     | £5225 | A1   |
| ERL3 150 | 1.5 m         | 59"  | 1.57 m        | 62"  | 400       | 30 - 45     | £5580 | A1   |
| ERL3 170 | 1.7 m         | 67"  | 1.77 m        | 70"  | 434       | 40 - 50     | £5825 | A1   |
| ERL3 190 | 1.9 m         | 76"  | 1.97 m        | 78"  | 470       | 45 - 65     | £6215 | A1   |
| ERX3-200 | 2.0 m         | 80"  | 2.1 m         | 82"  | 630       | 50 - 80     | £7700 | A1   |
| ERX3-250 | 2.5 m         | 100" | 2.6 m         | 102" | 710       | 60 - 90     | £8400 | A1   |
| ERX3-300 | 3.0 m         | 120" | 3.1 m         | 124" | 790       | 80 - 100    | £9100 | A1   |

| Optional Extras          |     | Price | Code | Optional Extras               |     | Price | Code |
|--------------------------|-----|-------|------|-------------------------------|-----|-------|------|
| Automatic Torque Limiter | ERX | £500  | A1   | Packer Roller in Lieu of Cage | 130 | £575  | A1   |
| 1000rpm PTO              | ERX | £470  | A1   | Packer Roller in Lieu of Cage | 150 | £640  | A1   |
| Drill Linkage            | ERX | £2100 | A1   | Packer Roller in Lieu of Cage | 170 | £740  | A1   |
|                          |     |       |      | Packer Roller in Lieu of Cage | 190 | £850  | A1   |
|                          |     |       |      | Packer Roller in Lieu of Cage | 200 | £1350 | A1   |
|                          |     |       |      | Packer Roller in Lieu of Cage | 250 | £1450 | A1   |
|                          |     |       |      | Packer Roller in Lieu of Cage | 300 | £1570 | A1   |



## TT Hydraulic Tipping Trailer



- **TT2000**
- Rear tipping trailer.
- Steel sides are hinged and removable.
- Adjustable front jack.
- Off road use only.

| Model  | Body Size   | Tyre Size   | Capacity | Price | Code |
|--------|-------------|-------------|----------|-------|------|
| TT1500 | 1.8m x 1.3m | 23x10.50-12 | 1500kg   | £2630 | A1   |
| TT2000 | 2.4m x 1.5m | 10.0/80-12  | 2000kg   | £2990 | A1   |

| Optional Extras             | Price | Code |
|-----------------------------|-------|------|
| Mesh extension sides TT1500 | £630  | A1   |
| Mesh extension sides TT2000 | £745  | A1   |



- *TT1500 with optional mesh sides*

## Negri R70 Bio Shredders



- Suitable for wood and brash.
- Disc rotor with 1 steel blade.
- 50mm max wood diameter.
- 2 transport wheels.
- Discharge 650mm above ground.
- Output 2-3m<sup>3</sup>/hour.

| Model | Specification                   | Weight kg | Price | Code |
|-------|---------------------------------|-----------|-------|------|
| R70B  | Petrol Engine Honda GX160 5.5hp | 70        | £1620 | A1   |

## Negri R95 Bio Shredders



- Suitable for wood and brash.
- Rotor with 8 reversible hammers and 1 steel blade.
- 70mm max wood diameter.
- 2 transport wheels on engine driven version.
- Discharge 1270mm above ground.
- Output 3-4m<sup>3</sup>/hour.

| Model | Specification                   | Weight kg | Price | Code |
|-------|---------------------------------|-----------|-------|------|
| R95B  | Petrol Engine Honda GX160 5.5hp | 90        | £2175 | A1   |
| R95T  | Tractor mounted, PTO driven     | 110       | £2635 | A1   |



## Negri R225 Bio Shredders



- Suitable for wood and brash.
- Rotor with 8 reversible hammers and 2 steel blades.
- 90mm max wood diameter.
- 2 transport wheels on engine driven version.
- Discharge 1550mm above ground.
- Adjustable discharge pipe.
- Output 7m³/hour.
- Hydraulic feed roller.

| Model     | Specification   | Weight kg | Price  | Code |
|-----------|---|-----------|--------|------|
| R225B     | Petrol Engine Honda GX390   | 215       | £6650  | A1   |
| R225BAEN  | Petrol Engine Honda GX390,<br>No Stress system                    | 225       | £8480  | A1   |
| R225BAEON | Petrol Engine Honda GX390,<br>No Stress system, Road tow chassis. | 350       | £10400 | A1   |
| R225T     | Tractor mounted PTO driven  | 225       | £6100  | A1   |

## Negri R240 Bio Shredders



- Suitable for wood and brash.
- Rotor with 16 reversible hammers and 4 steel blades.
- 90mm max wood diameter.
- 4 transport wheels on engine driven version.
- Discharge 1750mm above ground.
- Adjustable discharge pipe.
- Output 8.5m³/hour.
- Hydraulic feed roller.

| Model     | Specification  | Weight kg | Price  | Code |
|-----------|--|-----------|--------|------|
| R240B     | Petrol Engine Honda GX390,<br>No Stress system, 4 wheels         | 330       | £10250 | A1   |
| R240B210N | Petrol Engine Honda GX630,<br>No Stress system, Road tow chassis | 420       | £13280 | A1   |
| R240T     | Tractor mounted PTO driven.                                      | 330       | £7300  | A1   |

## Negri R255 Bio Shredders



- Suitable for wood and brash.
- Rotor with 20 reversible hammers and 2 steel blades.
- 100mm max wood diameter.
- Centralised lubrication system for bearings.
- 2 transport wheels on engine driven version.
- Discharge 2125mm above ground.
- Adjustable discharge pipe.
- Output 10.0m<sup>3</sup> /hour.
- Hydraulic feed roller.

| Model     | Specification                                      | Weight kg | Price  | Code |
|-----------|--|-----------|--------|------|
| R255TN    | Tractor mounted, PTO, no stress system             | 420       | £10650 | A1   |
| R255B210N | Petrol Honda GX630,<br>No Stress, Road tow chassis | 480       | £15100 | A1   |

## Negri R280 Bio Shredders



- Suitable for wood and brash.
- Rotor with 24 reversible hammers and 2 steel blades.
- Steel infeed conveyor and feed roller with speed adjustment.
- 150mm max wood diameter.
- Centralised lubrication system for bearings.
- Discharge 2280mm above ground.
- Adjustable discharge pipe.
- Output 13-18m<sup>3</sup> /hour.

| Model     | Specification                                 | Weight kg | Price  | Code |
|-----------|---|-----------|--------|------|
| R280TN    | Tractor PTO trailed, no stress system         | 630       | £16900 | A1   |
| R280DKTRG | Kohler diesel, no stress, road<br>tow chassis | 750       | £27940 | A1   |





● VRIS



● VR180S

## V Series Reversible Ploughs

- Width depth wheel.
- S versions have separate coulters and bar point.

| Model  | No. Furrows | Furrow Width | HP Required | Turnover | Price | Code |
|--------|-------------|--------------|-------------|----------|-------|------|
| VR180S | 1           | 8"           | 12 - 25     | Mech     | £1175 | A1   |
| VRIS   | 1           | 10"          | 18 - 30     | Hyd      | £1820 | A1   |
| VBIS   | 2           | 11"          | 35 - 50     | Hyd      | £3270 | A1   |



## BR Plough

- Two furrow conventional plough.
- Depth wheel.
- 25cm (10") furrow width.
- Bar point.

| Model | Weight kg | HP Required | Price | Code |
|-------|-----------|-------------|-------|------|
| BRS   | 130       | 30 - 50     | £1440 | A1   |



## SS Chisel Plough/Subsoiler

- For primary cultivation and loosening compacted ground.
- Solid legs with replaceable points.
- Depth wheels.
- Single leg subsoiler version available.

| Model  | Working Width | No. Legs | Weight kg | HP Required | Price | Code |
|--------|---------------|----------|-----------|-------------|-------|------|
| SS 120 | 1.2 m 48"     | 3        | 75        | 16 - 22     | £800  | A1   |
| SS 150 | 1.5 m 60"     | 5        | 100       | 24 - 35     | £980  | A1   |
| SD 1   |               | 1        | 35        | 16 - 25     | £525  | A1   |

## Agreg XL Fertiliser Spreader



● XL 300 standard



● XL 500 with salt/sand kit

- Single spinning disc pto driven.
- Plastic hopper with stainless steel outlet.
- Adjustable left/right/central spreading.
- Adjustable feed rate.
- Articulated agitator keeps the material flowing.
- Stainless Steel Spreading disc.
- Max load 550kg.



● Optional salt/sand kit.

| Model  | Capacity  | Weight kg | HP Required | Price | Code |
|--------|-----------|-----------|-------------|-------|------|
| XL 300 | 250 litre | 56        | 18 - 30     | £1020 | A1   |
| XL 500 | 350 litre | 58        | 28 - 50     | £1130 | A1   |

| Optional Extras          | Price | Code |
|--------------------------|-------|------|
| Salt and Sand Kit        | £120  | A1   |
| Remote control cable     | £245  | A1   |
| Hydraulic remote control | £305  | A1   |
| Hopper Cover             | £150  | A1   |



## LSN and LP Snow Ploughs



### ● LSN

### ● LP

- Range of snow ploughs for tractors from 15-100HP.
- LSN models are 3 point linkage mounted and are suitable for reverse drive tractors or tractors with front linkage. A loader mounted version is also available (brackets not included).
- LP models have an integral lift cylinder and are designed to be fitted to the front of any tractor. (Connection plate included).  
For a price on fitting LP models please contact Kilworth.
- Rubber squeegee blade, sprung break-back system and hydraulic angling standard on all models. Manual angling no cost option.

| Model    | Width | Attachment type                        | Weight kg | Price | Code |
|----------|-------|--|-----------|-------|------|
| LSN 1250 | 1.25m | 3 point linkage or loader              | 150       | £2585 | A1   |
| LSN 1500 | 1.50m | 3 point linkage or loader              | 180       | £2960 | A1   |
| LSN 1750 | 1.75m | 3 point linkage or loader              | 210       | £3250 | A1   |
| LSN 2000 | 2.00m | 3 point linkage or loader              | 240       | £3690 | A1   |
| LSN 2500 | 2.50m | 3 point linkage or loader              | 380       | £6000 | A1   |
| LP1-1250 | 1.25m | Front mounted with quick release plate | 115       | £3245 | A1   |
| LP1-1500 | 1.50m | Front mounted with quick release plate | 135       | £3700 | A1   |
| LP1-1750 | 1.75m | Front mounted with quick release plate | 155       | £4140 | A1   |
| LP1-2000 | 2.00m | Front mounted with quick release plate | 190       | £4850 | A1   |
| LP2-2000 | 2.00m | Front mounted with quick release plate | 280       | £5570 | A1   |
| LP2-2500 | 2.50m | Front mounted with quick release plate | 310       | £7000 | A1   |

| Option         | Price | Code |
|----------------|-------|------|
| Pair of wheels | £400  | A1   |

**GRE Backhoe**



● GRE-19

- Compact backhoe for landscaping, golf courses etc.
- Joystick control.
- 3 point linkage mounted - simple to fit and remove.
- Can be used with tractor oil supply but pump and tank kit recommended.
- GRE-19 and 23 have side shift boom with manual locking (hydraulic option).
- Bucket extra.

| Model  | Dig Depth | HP Required | Price | Code |
|--------|-----------|-------------|-------|------|
| GRE-15 | 1.5 m     | 12 - 30     | £6250 | A1   |
| GRE-19 | 1.9 m     | 20 - 40     | £7280 | A1   |
| GRE-23 | 2.3 m     | 30 - 50     | £8900 | A1   |

| Optional Extras                 | Price | Code |
|---------------------------------|-------|------|
| Pump and Tank Kit               | £995  | A1   |
| Hydraulic side shift lock 19/23 | £715  | A1   |



● Side Shift 19 and 23



● Compact Dimensions

- The GRE Backhoes must not be fitted to the tractor without mechanical locking kit on the 3 point linkage.
- Please contact Kilworth for more information.

| Bucket Options |     |       | NOTE: FOR GRE-23 BUCKETS ADD 10% |                        |       |      |
|----------------|-----|-------|----------------------------------|------------------------|-------|------|
| Type           |     | Price | Code                             | Type                   | Price | Code |
| Digging bucket | 6"  | £320  | A1                               | Digging bucket 14"     | £570  | A1   |
| Digging bucket | 8"  | £460  | A1                               | Digging bucket 16"     | £590  | A1   |
| Digging bucket | 10" | £490  | A1                               | 24" Landscape GRE15/19 | £625  | A1   |
| Digging bucket | 12" | £530  | A1                               | 32" Landscape GRE19/23 | £715  | A1   |



SFK and CM Forklifts



● SFK



● CM9 DCL

- Tractor mounted forklift, ideal for growers, nurseries and local authorities.
- 3 point linkage mounted.
- Uses tractor hydraulic system.
- Extruded steel mast with roller bearings.
- Side shift and tilt standard.
- SFK and CM9 are manual lever control.
- CM16 has electric joystick control and twin lift cylinders mounted on outside of mast to give better view of forks.



● CM16

| Optional Extras          | Price | Code |
|--------------------------|-------|------|
| Electric control CM9/SFK | £1700 | A1   |
| Cable control CM9/SFK    | £790  | A1   |

| Model     | Lift Capacity | Lift Height | Weight | HP Required | Price | Code |
|-----------|---------------|-------------|--------|-------------|-------|------|
| SFK 17    | 1700kg        | 3.2 m       | 380kg  | 50 - 70     | £4580 | A1   |
| CM9 DCL   | 900kg         | 2.5m        | 270kg  | 35 - 80     | £4200 | A1   |
| CM16 DBCH | 1600kg        | 3.2 m       | 470kg  | 50 - 80     | £6500 | A1   |

## Goal Post Lifter for Rugby Posts.



- The Kilworth Goal Post Lifter is designed specifically for erecting or dismantling rugby and football posts
- Will safely handle steel, wood or aluminium posts.
- The goal post lifter will clamp the post, lift it vertically out of the ground and rotate it through 90° in order to place it on the ground or onto a trailer.
- The whole operation takes place from the tractor cab in complete safety.
- The rubber lined post clamps are hydraulically operated and can cope with tapered posts.
- The Goal Post Lifter is available as a complete unit including the forklift. Please note the forklift prices given below include an additional 2 double acting services and support feet for use with the lifter.

| Forklift Model includes kit to operate GPL | Forklift Price | Goal Post Lifter Price | Total Price | Code |
|--|----------------|------------------------|-------------|------|
| SFK17 with manual lever/cable controls     | £6850          | £3520                  | £10100      | A1   |
| CM16 with electric control                 | £7580          | £3520                  | £11100      | A1   |

## Goal Post Lifter for Football Goals



- Fits to front loader for lifting football goals out of the ground safely and without damage.
- Goals can be placed on the ground or on a trailer.
- Folds for road transport.
- Requires double acting spool valve on loader.

| Model  | Max Lift | Weight | Price | Code |
|--------|----------|--------|-------|------|
| GPL200 | 300kg    | 400kg  | £4940 | A1   |





## FR Flat Ballast Roller

- Trailed flat roller for grass land and cultivated ground.
- Can be filled with water for extra weight.
- 610mm drum diameter.

| Model | Width | Weight Empty | Weight Ballasted | Price | Code |
|-------|-------|--------------|------------------|-------|------|
| FR 5  | 1.5 m | 230 kg       | 650 kg           | £1225 | A1   |
| FR 66 | 2.0 m | 350 kg       | 800 kg           | £1340 | A1   |

## SH Spring Tine Grass Harrows



- Suitable for use on pasture land and sports pitches.
- Renovate grass/turf by aeration and dethatching.
- Spreads manure and distributes nutrients evenly.
- Adjustable Tine angle.

| Model | Width | Weight | HP Required | Price | Code |
|-------|-------|--------|-------------|-------|------|
| SH150 | 1.5m  | 180kg  | 16-30       | £1420 | A1   |
| SH200 | 2.0m  | 230kg  | 25-50       | £1640 | A1   |
| SH250 | 2.5m  | 290kg  | 30-60       | £1800 | A1   |



## Mounted Chain Harrows

- Medium grass chain harrow mounted in 3 point linkage frame.
- Renovate pasture by aeration and dethatching.
- Spreads manure and distributes nutrients.

| Model | Working Width | Length      | Weight | Price | Code |
|-------|---------------|-------------|--------|-------|------|
| CH6M  | 6' (1.8m)     | 7'6" (2.3m) | 142 kg | £1010 | A1   |
| CH8M  | 8' (2.4m)     | 7'6" (2.3m) | 180 kg | £1220 | A1   |



## BR Transport Box

- Mechanical tip.
- Steel scraper blade.
- Rear door can be removed.



| Model | Width | Depth | Weight | Price | Code |
|-------|-------|-------|--------|-------|------|
| BR120 | 1.2 m | 0.75m | 105kg  | £535  | A1   |
| BR150 | 1.5 m | 0.75m | 125kg  | £575  | A1   |

## Forestry Grab



- 3 Point linkage mounted grab for skidding timber.
- Category 1/2 linkage
- Available with or without rotator.

| Model                         | Rotator | Grab Size m | Weight kg | Price | Code |
|-------------------------------|---------|-------------|-----------|-------|------|
| KFG300                        | No      | 1.1         | 200       | £3600 | A1   |
| KFG300R                       | Yes     | 1.1         | 215       | £4250 | A1   |
| Option Extra                  |         |             |           | Price | Code |
| Change over valve for rotator |         |             |           | £325  | A1   |



## Tajfun Forestry Winches

- 3 point linkage mounted PTO driven forestry winches.
- Mechanical drive with manually operated brake and clutch mechanism.
- AHK versions have hydraulic control of clutch and brake with push button control box on 4.5m cable
- Supplied with PTO shaft, 2x2.0m choker, 1x slider.
- Supplied with standard rope



| Model          | Pulling Force | Standard rope length/diameter | Weight w/o rope | Tractor size | Price | Code |
|----------------|---------------|-------------------------------|-----------------|--------------|-------|------|
| EGV35A         | 35kN          | 60m / 9mm                     | 240kg           | 30-55 HP     | £2290 | A1   |
| EGV45A         | 45kN          | 60m / 10mm                    | 330kg           | 40-75 HP     | £2680 | A1   |
| EGV55A         | 55kN          | 70m / 11mm                    | 345kg           | 47-80 HP     | £3340 | A1   |
| EGV65A         | 65kN          | 80m / 12mm                    | 515kg           | 55-95 HP     | £4125 | A1   |
| EGV85A         | 85kN          | 90m / 13mm                    | 570kg           | 65-135 HP    | £4850 | A1   |
| EGV45AHK       | 45kN          | 60m / 10mm                    | 350kg           | 40-75 HP     | £4780 | A1   |
| EGV55AHK       | 55kN          | 70m / 11mm                    | 365kg           | 47-80 HP     | £5350 | A1   |
| EGV65AHK       | 65kN          | 80m / 12mm                    | 540kg           | 55-95 HP     | £6080 | A1   |
| EGV85AHK       | 85kN          | 90m / 13mm                    | 590kg           | 65-135 HP    | £6990 | A1   |
| EGV105AHK      | 105kN         | 100m / 15mm                   | 800kg           | >110 HP      | £9825 | A1   |
| EGV65AHK ZS SG | 65kN          | 80m / 12mm                    | 550kg           | 55-95 HP     | £8130 | A1   |
| DGV2x55AHK     | 55kN          | 2x 70m / 11mm                 | 690kg           | 65-110 HP    | £9990 | A1   |

| Optional Extras  | Price   | Code |
|--|---------|------|
| Hydraulic powered upper pulley EGV55-85AHK                     | £1180   | A1   |
| Hydraulic powered upper pulley EGV105AHK                       | £1430   | A1   |
| Radio remote control. AHK versions only                        | £900    | A1   |
| Radio remote control Professional (Telenot). AHK versions only | £1560   | A1   |
| Choker chain 2.0m  | £44     | A1   |
| Choker chain 3.0m  | £56     | A1   |
| Slider   | £22     | A1   |
| Wire rope 9mm  | £3.47/m | A1   |
| Wire rope 10mm   | £3.84/m | A1   |
| Wire rope 11mm   | £4.36/m | A1   |
| Wire rope 12mm   | £4.86/m | A1   |
| Wire rope 13mm   | £5.25/m | A1   |
| Wire rope 14mm   | £5.60/m | A1   |

## Tajfun RCA Firewood Processors



- Professional Firewood Processor with joystick control.
- PTO driven with optional electric or diesel engine power packs.
- Folding infeed conveyor
- Folding/telescopic outfeed conveyor 4.0m long

| Model   | Weight | Price  | Code |
|---|--------|--------|------|
| RCA330 with fixed outfeed conveyor and 4 way splitter. 330mm capacity.                                      | 800kg  | £11750 | A1   |
| RCA 400 with fixed outfeed conveyor and 4/6 way combined splitter. 400mm capacity.                          | 1130kg | £15600 | A1   |
| RCA 480 with swinging outfeed and 4/6 way combined splitter. 480mm capacity.                                | 1480kg | £20800 | A1   |
| RCA 480 Plus with fixed outfeed conveyor and 4/6 way combined splitter. 480mm capacity. Electronic control. | 1490kg | £25600 | A1   |
| Other Optional Extras   |        | Price  | Code |
| Swinging discharge conveyor RCA400  |        | £895   | A1   |
| 5.0 Conveyor in lieu of 4.0m (400&480)  |        | £390   | A1   |
| Wide angle PTO shaft in lieu of standard shaft  |        | £765   | A1   |
| 2 Way Splitting head (400)  |        | £210   | A1   |
| 4 Way Splitting head (330/400)  |        | £260   | A1   |
| 6 Way Splitting head (330/400)  |        | £350   | A1   |
| 8 Way Splitting head (330/400)  |        | £435   | A1   |
| 12 Way Splitting head (400)   |        | £505   | A1   |
| 4 Way Splitting head (480)  |        | £315   | A1   |
| 6 Way Splitting head (480)  |        | £420   | A1   |
| 8 Way Splitting head (480)  |        | £520   | A1   |
| 12 Way Splitting head (480)   |        | £605   | A1   |
| 16 Way Splitting head (480)   |        | £675   | A1   |

For other RCA accessories see page 35



## Tajfun RCA Firewood Processor Accessories



● *Electric Drive Unit*



● *Bark Separator*

| Accessory   | Weight | Price | Code |
|---|--------|-------|------|
| DM1511 Log Loader (RCA330/400)                          | 160kg  | £2120 | A1   |
| DM2000 Log Loader (RCA480/400/330)                      | 330kg  | £3370 | A1   |
| RN3000S Stationary Live Log Deck 3.0 tonne capacity     | 700kg  | £7250 | A1   |
| RN3000M Mobile Live Log Deck. max 25 km/h               | 755kg  | £7890 | A1   |
| RN5000S Stationary Live Log Deck 5.0 tonne capacity     | 800kg  | £7570 | A1   |
| RN5000M Mobile Live Log Deck. Max 25 km/h               | 860kg  | £8250 | A1   |
| Drawbar to tow RN behind RCA                            | 15kg   | £95   | A1   |
| EP12 Electric Power Pack 3 phase with switch gear       | 198kg  | £3250 | A1   |
| DP26 Diesel engine power pack. 26Kw                     | 390kg  | £8890 | A1   |
| XE10 Hydraulic saw dust extractor                       | 35kg   | £1225 | A1   |
| XE11 Hydraulic saw dust extractor (for larger tractors) | 38kg   | £1320 | A1   |
| XE10 Electric sawdust extractor 240V 1.1Kw              | 30kg   | £925  | A1   |
| SP10 Sawdust/Bark separator                             | 40kg   | £455  | A1   |
| Grenc sawdust separator                                 | 38kg   | £450  | A1   |



● *DM1511 Log Loader*

## Tractor Mounted Log Splitters



- Vertical hydraulic log splitter.
- Uses tractor hydraulics.
- Spool valve control with 2 handed operation for safety.
- Tapered wedge for efficient splitting.
- Automatic return stroke



● LS13

| Model | Power | Clearance | Weight | Price | Code |
|-------|-------|-----------|--------|-------|------|
| LS8   | 8T    | 450mm     | 125kg  | £1080 | A1   |
| LS10  | 10T   | 570mm     | 150kg  | £1350 | A1   |
| LS13  | 13T   | 830mm     | 230kg  | £1560 | A1   |

## Iris Electric Log Splitter



- Hydraulic Log splitter suitable for home or professional use.
- Plugs into 13amp 240V supply.
- 8 tonne splitting power.
- 2 lever control for safe and efficient splitting.
- Adjustable wedge to accommodate longer logs.
- 2 speed hydraulic cylinder.

| Optional Extra | Price | Code |
|----------------|-------|------|
| 4 Way Splitter | £98   | A1   |

| Model  | Supply | Motor     | Splitting force | Price | Code |
|--------|--------|-----------|-----------------|-------|------|
| IRIS M | 240V   | 3HP/2.2KW | 8 tonnes        | £1375 | A1   |





# Rosselli Saw Benches

● *Grizzly 700R*



- PTO Driven Saw Benches available with swinging or sliding table.
- Grizzly 700R and 600M has a swinging table and is suitable for logging.
- Speedy 700R has sliding table for cutting all types of wood.
- Large diameter balanced saw blade for smooth running and efficient cutting.
- Safety stop lever which can be reached from the sawing position.
- Full guarding for effective and safe operation.



● *Speedy 700R*

| Model   | Blade Dia. | Table    | Cut Depth | Price | Code |
|---|------------|----------|-----------|-------|------|
| Grizzly 700R                                  | 700mm      | swinging | 240mm     | £1410 | A1   |
| Speedy 700R                                   | 700mm      | sliding  | 245mm     | £1465 | A1   |
| Grizzly 600M 240v                             | 600mm      | swinging | 190mm     | £1520 | A1   |
| Two way 3 point linkage and PTO (speedy only) |            |          |           | £130  | A1   |
| Tungsten Tip Blade in Lieu of Standard Blade  |            |          |           | £150  | A1   |

Kilworth Forwarding Trailer with Crane



- 2 models available, suitable for compact and all terrain tractors.
- Rocking beam axles fitted with 26x12.00-12 tyres.
- Flop down stabilisers for increased stability.
- Moveable axle and bolsters.
- 3 pairs of bolsters as standard.
- 4.2m reach crane with lever controls, grab and rotator.

| Model | Capacity | Load length | Width | Price  | Code |
|-------|----------|-------------|-------|--------|------|
| KFT25 | 2.5t     | 2.5m        | 1.5m  | £10940 | B2   |
| KFT30 | 3.0t     | 3.0m        | 1.5m  | £11400 | B2   |

| Other Optional Extras  | Price | Code |
|--|-------|------|
| Joystick control on crane valve block                                  | £550  | B2   |
| Brakes on front axle   | £590  | B2   |
| Hydraulic drive to wheels (requires 2x double acting spool on tractor) | £2680 | B2   |
| Pair of bolsters with mounting bracket                                 | £495  | B2   |



### Fliegl SS/FA Pan Mixers



● FA Model



● 800 Favorite

- Will mix concrete, compost, soil, cattle feed.
- Forced mixing by rotating paddles within the pan.
- Thorough and quick mixing.
- Empties through discharge chute in floor of mixer.
- Tractor mounted, pto driven as standard.
- Hydraulic drive kit available for mounting on forklifts.
- Electric drive kit for stationary applications.
- Favorite models specially designed for farmers own use.
- FA models have hydraulic loading shovel.

| Model        | Capacity    | HP Required | Price | Code |
|--------------|-------------|-------------|-------|------|
| 600 Favorite | 500 litres  | 60          | £3060 | A2   |
| 800 Favorite | 750 litres  | 90          | £3290 | A2   |
| 602 SS       | 600 litres  | 70          | £3650 | A2   |
| 802 SS       | 800 litres  | 90          | £3980 | A2   |
| 1002 SS      | 1000 litres | 100         | £5150 | A2   |
| 400 FA       | 400 litres  | 60          | £4515 | A2   |
| 600 FA       | 600 litres  | 80          | £5590 | A2   |

- For more information please ask for separate “Fliegl Mixers” Price List

## Machinery Manufactured to customers specifications.

Kilworth are able to design and fabricate machinery for special applications. Contact us with your requirements and we will provide you with a quote. The pictures below show 2 machines which have been designed and built following customers request. Price on application.



- Inter-row mower for maintaining grass between strawberry tables



- Pan mixer with loading system.







# Kilworth

**Importers and Manufacturers of Agricultural,  
Horticultural, Landscaping, Groundsware  
and Construction Machinery.**