

Ferrari Two Wheeled Tractors and Motor Mowers

2017/2018



Kilworth Machinery Ltd.

Annwell Lane, Smisby, Ashby de la Zouch, LE65 2TA.

Tel: 01530 412690

Fax: 01530 560002

E-mail: sales@kilworthmachinery.co.uk

Website: www.kilworthmachinery.co.uk

- All prices exclude VAT
- All previous lists cancelled
- Price code A2
- Technical specifications may be subject to change
- Carriage £60 on UK mainland except Scotland and South West England £80 per machine

Powersafe

All Ferrari 310-360 Two Wheel Tractor models are now supplied with the Powersafe System, which meets requirements of the new EU safety directive EN709/A4.

On conventional models, when the operator presence control (OPC) is released, the engine stop is activated. With this system, the tractor can still move forward for several feet after the OPC is released due to inertia of the engine. This also means that whenever the operator moves away from the machine, the engine must be restarted on his return.

With the Powersafe System, the standard dry clutch is replaced by a multidisc hydraulic clutch. When the OPC lever is released it releases the hydraulic clutch so the tractor and PTO stop immediately whilst the engine keeps running. Stopping the forward movement is up to 10 times quicker than with conventional systems and wear on recoil and electric starters is greatly reduced. The machine is also easier to operate.

Please note all versions are now supplied without bonnet / engine cover. This is available as an optional extra on the 328, 338 and 340 models.



- 3 forward and 3 reverse speeds in two wheel tractor position
- 3 forward and 3 reverse speeds in motor mower position
- Forward / reverse shuttle lever
- Hydraulic clutch with manual control
- Adjustable and reversible handlebar, mounted on shock absorbers
- Motor stop safety switch and reverse gear stop to prevent reversing with PTO engaged.
- Wheels 4.00-8

328 with Honda GP160 5HP Petrol Engine Powersafe	£1890
328 with Honda GX200 5.5HP Petrol Engine Powersafe	£2180

Quick Hitch for attachments

1x tractor end + 1 x implement end	£115
1 x implement end	£75
46cm Rotary Tiller with fixed hood	£530
52cm Rotary Tiller with adjustable hood	£590
115cm Cutter Bar Mower with oil bath transmission	£980
Engine cover kit	£85

For additional attachments see page 10



- 3 forward and 3 reverse speeds in two wheel tractor position
- 3 forward and 3 reverse speeds in motor mower position
- Forward / reverse shuttle lever
- Hydraulic clutch with manual control
- Differential with lock
- Adjustable and reversible handlebar, mounted on shock absorbers
- Motor stop safety switch and reverse gear stop to prevent reversing with PTO engaged.
- Wheels 5.00-10

338 with Honda GX270 8.5HP Petrol Engine Powersafe £2690

338 with Kohler KD350 7.5HP Diesel Engine Powersafe £3550

338 with Kohler KD350 7.5HP Diesel Electric Start Powersafe £3980

Quick Hitch for attachments:

1x tractor end + 1 x implement end £115

1 x implement end £75

52cm Rotary Tiller with adjustable hood £590

66cm Rotary Tiller with adjustable hood £640

135cm cutter bar mower with oil bath transmission £1075

155cm cutter bar mower with oil bath transmission £1200

Engine cover kit £85

For additional attachments see page 10



- 3 forward and 3 reverse speeds in two wheel tractor position
- 3 forward and 3 reverse speeds in motor mower position (handlebars reversed)
- Forward / reverse shuttle lever
- Hydraulic clutch with manual control
- Differential with lock
- Independent brakes on the two wheels
- Adjustable and reversible handlebar, mounted on shock absorbers
- Motor stop safety switch and reverse gear stop to prevent reversing with PTO engaged.
- Wheels 5.00-10

340 with Honda GX390 12HP Petrol Engine Powersafe	£3200
340 with Yanmar LN100 Diesel engine 10.5 HP electric start Powersafe	£4350

Quick Hitch for attachments

1x tractor end + 1 x implement end	£115
1 x implement end	£75
6.5/80-12 wheels in lieu std wheels	£190
20 x 8.00-10 wheels in lieu std wheels	£180
66cm rotary tiller with adjustable hood	£640
80cm rotary tiller with adjustable hood	£660
135cm cutter bar mower with oil bath transmission	£1075
155cm cutter bar mower with oil bath transmission	£1200

For additional attachments see page 10



- 3 forward and 3 reverse speeds
- Hydraulic clutch with manual control
- Reinforced gearbox casing
- Differential with lock
- Independent brakes on each wheel with parking brake
- Adjustable and reversible handlebar, mounted on shock absorbers with forward / reverse shuttle lever.
- Wheels 6.5/80-12

360 with Honda GX390 12HP Petrol Engine Powersafe £3680

360 with Kohler KD440 diesel engine 11HP electric start Powersafe £5250

85cm Rotary tiller with adjustable hood for Petrol Engine version £1030

85cm Rotary tiller with adjustable hood for Diesel Engine version £1030

Note: When fitting other attachments to the 360 a quick release bush is required for each attachment.

Quick release attachment bush £80



- 2 forward and 2 reverse speeds
- Forward / reverse shuttle lever
- Dry clutch with manual control
- Adjustable handlebars
- Wheels 16x6.50-8 on SL, 4.00-8 on L
- SL version has differential with lock

515L with Honda GP160 5HP petrol engine	£1590
515SL with Honda GX270 8.5HP petrol engine	£2240
100cm cutter bar mower with oil bath transmission	£940
115cm cutter bar mower with dry transmission	£980
135cm cutter bar mower with oil bath transmission	£1075

For additional attachments see page 10



- Shown with optional dual wheels and 118/100 Flail Mower.
- 3 Forward and 3 reverse gears.
- Reinforced Gearbox
- Hydromechanical reverser for change of direction with a single lever.
- Live Power Take Off – changing from forward to reverse does not affect the power drive to the attachment.
- Steering Clutch/Brake assemblies on the 2 wheels.
- Parking brake on both wheels operated by a single lever.
- Adjustable handlebars
- Wheels 5.00-10
- Without cutter bar or attachment.

530 S EasyDrive with Honda GX340 petrol engine 11HP powersafe £4490

S30 S EasyDrive with Yanmar L100 10.5HP diesel engine recoil start powersafe £4990

Quick Hitch for attachments:

1x tractor end + 1 x implement end £115

1x implement end £75

135 cm Cutter bar oil bath transmission £1075

155 cm Cutter bar oil bath transmission £1200

20x8.00-10 wheels in lieu standard wheels (AG or TURF) £180

Cage wheels (pair) "super bite" for 5.00-10 wheels £295

Dual Wheels 5.00-10 Kit £320



- Shown with optional 100cm Flail attachment
- Full hydrostatic drive with oil cooler.
- High and low speed ranges.
- Multi-disc hydraulically operated clutch with Powersafe.
- Steering clutch/brake assemblies on the 2 wheels.
- Forward and reverse speed controlled by twist grip type control knob.
- 23x8.50-12 wheels.

560 HY WS with Briggs & Stratton 16HP V twin petrol Engine £7750

For attachments see pages 10-14

Note: When fitting attachments to the 560 a quick release bush is required for each attachment.

Quick release attachment bush. £80

Front Flail Mowers.



Heavy duty front mounted Flail mowers complete with adjustable rear roller.
Back to back 5mm flails.
360 requires attachment bush.



Model	Working width	328	338/515SL	340/530	360/560	Price Ex VAT
118/50H	50cm	✓				£1290
118/60	65cm		✓			£1430
118/70	70cm		✓	✓	✓	£1620
118/80	80cm			✓	✓	£1750
118/100	100cm			✓	✓	£1950

Front Rotary Mowers.



RM80.80 cm Heavy duty rotary
All gear drive (no belts).
Two front adjustable castor wheels.



RM56C 56/100cm Lawn Mower
RM100C Lawn mower with
collection



Twin blade rotary
Mower. 80 or 100 cm.
RA800/1000

Model	Working width	No. Rotors	328	338/515SL	360/560	Price Ex VAT
RM80	80cm	1		✓	✓	£1390
RM56C	56cm	1	✓	✓		£840
RM100C	100cm	2			✓	£2150
RA800	80cm	2		✓	✓	£1800
RA1000	100cm	2		✓	✓	£1950
FALK 7	70cm	1		✓	✓	£1370
FALK 8	80cm	2			✓	£1970



FALK Rough Cut Mower

Rotary Harrows.




Rotary harrow with high speed rotors to give a fine level finish. With rear mesh roller. Crumbler roller no cost option. Front levelling board. 360 requires attachment bush.



Model	Working width	328	338	340	360	Price
MTL50	50cm	✓	✓			£1930
MT60	60cm		✓	✓	✓	£2040
MTL75	75cm			✓	✓	£2150
SM75 Seeder Unit to suit MTL75						£1575
Optional balance weight kit (as shown above)						£650

Ploughs.

Single furrow ploughs.
Price includes attachment hitch.
360 requires attachment bush.



Model	Type	328	338	340	360	Price
MD-05	Conventional	✓	✓	✓	✓	£255
V180-05	Reversible		✓	✓	✓	£360

Ridger and Lifter.

360 requires attachment bush.



AS1 Adjustable ridger/furrower.



AP Potato Lifter:

Model	320	330	340	360	Price
AS1	✓	✓	✓	✓	£250
AP	✓	✓	✓	✓	£240

Rotary Sweeper.



Rotary brush with angle adjustment.
Gear transmission.
Nylon bristles
SF100S has nylon/steel bristles
360 requires attachment bush.

Model	Width	328	338/515S	340/530	360/560	Price
SF80	80cm	✓	✓	✓		£1250
SF100	100cm		✓	✓	✓	£1340
SF100S	100cm		✓	✓	✓	£1680

Chipper Shredder.



3” Capacity chipper plus shredder unit with hammer knives for brash up to ½” diameter.
360 requires attachment bush.

Model	338	340	360	Price
R130M	✓	✓	✓	£1800

Duplex Cutter Bar.



Double knife action gives a better cut with less vibration

Model	328	338	340/530	360/560	Price
1.2m		✓	✓	✓	£1550
1.5m			✓	✓	£1790

Drum Mower



2 Drum mower suitable for haymaking. 80cm width

Model	328	338/515SL	340/530	360/560	Price
ZRF800		✓	✓	✓	£1610

Snow Blade



1.0m Snow blade with angle adjustment and replaceable steel wear plate.

Model	328	338/515SL	340/530	360/560	Price
SB100P	✓	✓	✓	✓	£640

Snow Blower



70cm Snow blower with adjustable discharge chute and skids.

Model	328	338/515SL	340/530	360/560	Price
TSB70		✓	✓	✓	£950

Snow / Grader Blade



1.0m Heavy duty blade suitable for snow, soil, gravel etc. Adjustable angle.

Model	328	338/515SL	340/530	360/560	Price
GB100	✓	✓	✓	✓	£370

Duplex Cutter Bar.



Double knife action gives a better cut with less vibration

Model	328	338	340/530	360/560	Price
1.2m		✓	✓	✓	£1550
1.5m			✓	✓	£1790

Drum Mower



2 Drum mower suitable for haymaking. 80cm width

Model	328	338/515SL	340/530	360/560	Price
ZRF800		✓	✓	✓	£1610

Snow Blade



1.0m Snow blade with angle adjustment and replaceable steel wear plate.

Model	328	338/515SL	340/530	360/560	Price
SB100P	✓	✓	✓	✓	£640

Snow Blower



70cm Snow blower with adjustable discharge chute and skids.

Model	328	338/515SL	340/530	360/560	Price
TSB70		✓	✓	✓	£950

Snow / Grader Blade



1.0m Heavy duty blade suitable for snow, soil, gravel etc. Adjustable angle.

Model	328	338/515SL	340/530	360/560	Price
GB100	✓	✓	✓	✓	£370

Stone Burier



62cm Stone burier with adjustable rear roller.
Creates a fine, level seedbed.

Model	328	338	340	360	Price
Condor62			✓	✓	£3200

Rotary Plough



Powered rotor ploughs and cultivates in one pass.
Ideal for vegetable growers.

Model	328	338	340	360	Price
BFDR4		✓	✓	✓	£1340

Log Splitter



6 tonne hydraulic log splitter.

Model	328	338	340/ 530	360	Price
ECO96M		✓	✓	✓	£1540

Other accessories.

- Wheel weights (pair) for 4.00-8 wheels. 11kg each. £220
- Wheel weights (pair) for 4.00-10 and 5.00-10 wheels 15kg each. £260
- Wheel weights (pair) for 5.00-12 and 6.5/80-12 wheels 34kg each. £330



- Cage wheels £170
- Wheel spacers 6cm (pair) £45
- Implement extension 8cm £95
- Rotary Hoe transport wheel £55

- Quick Hitch for attachments: (not for 360)
- 1x tractor end + 1 x implement end £115
- 1 x implement end £75



We also have an economy range of two wheeled tractors and tillers made by Danish company Texas.

Please ask for our Texas price list for more information.



A background image of a serene landscape featuring a calm lake, rolling green hills, and a small white boat on the water. The sky is light blue with soft clouds. The image is overlaid with horizontal green lines for writing.

Stone Burier



62cm Stone burier with adjustable rear roller.
Creates a fine, level seedbed.

Model	328	338	340	360	Price
Condor62			✓	✓	£3200

Rotary Plough



Powered rotor ploughs and cultivates in one pass.
Ideal for vegetable growers.

Model	328	338	340	360	Price
BFDR4		✓	✓	✓	£1340

Log Splitter



6 tonne hydraulic log splitter.

Model	328	338	340/ 530	360	Price
ECO96M		✓	✓	✓	£1540

Other accessories.

- Wheel weights (pair) for 4.00-8 wheels. 11kg each. £220
- Wheel weights (pair) for 4.00-10 and 5.00-10 wheels 15kg each. £260
- Wheel weights (pair) for 5.00-12 and 6.5/80-12 wheels 34kg each. £330



- Cage wheels £170
- Wheel spacers 6cm (pair) £45
- Implement extension 8cm £95
- Rotary Hoe transport wheel £55

- Quick Hitch for attachments: (not for 360)
- 1x tractor end + 1 x implement end £115
- 1 x implement end £75



We also have an economy range of two wheeled tractors and tillers made by Danish company Texas.

Please ask for our Texas price list for more information.



A series of horizontal green lines for taking notes, overlaid on a background image of a lake and green hills. A small white dog is visible in the foreground on the grass.