





HUSTLER'S 2017 PRODUCT LINE

UTILITY VEHICLES

HUSTLER MDV	NEW		6
		n-built utility vehicle that combine	
, ,		eatures with the revolutionary al	,
		argo. That's what the most innov	
	,	has created in the Hustler MDV™	
•		ology. We call it the MDV (Maxin	
,		ole fact that you won't find a mo ore versatile vehicle than this one	
UTILITY VEHICL	E ACCES	SSORIES	10

ZERO-TURN MOWERS

comfort and style.

LEKU-IUK	IN IVIU	RESIDENTIAL LINE	
RAPTOR			4
RAPTOR LIMIT	ED		6
RAPTOR SD			8
RAPTOR SDX	NEW		2(
Hustler's new R	aptor SE	OX features a new open deck design so	
grass can be ea	asily disc	charged to avoid clumping. It also offers	
features like an	engine o	guard, adjustable premium bolstered	

RAPTOR F	LIF	p-U	ΙP	 	 									 				22
FASTRAK				 										 				2

seat with armrests and internal suspension for more support,

ASTRA	K SDX	 	 		 	 			 	 		 . 2	26
(-ONF	NFW											-	28

COMMERCIAL LINE


HUSTLEI

The newly redesigned X-ONE has a new clean, compact design making it simple to own and maintain. Other enhancements include an 11.7 gallon fuel capacity for all-day mowing and new bolstered seat with internal suspension and rubber isolated seat mounts. In addition, it features a 1.5 x 3" fully tubular commercial frame and 72" deck option.

SUPER Z	30
SUPER Z HYPERDRIVE	32
HUSTLER Z DIESEL	34
SUPER 104	36
SUPER S	38
TRIMSTAR	40

RESIDENTIAL / COMMERCIAL ACCESSORIES	

CATCHERS	 4:
ZERO-TURN MOWER ACCESSORIES	 4





ENGINE CONFIGURATIONS

Kohler: KDW 1003 (Diesel)

DRIVETRAIN

2WD/AWD

SPEED (FORWARD)

37 mph

FUEL CAPACITY

14 US gallons

TOWING CAPACITY

1650 lbs

CARGO BOX CAPACITY

MDV: 1200 lbs

MDV with LeveLift: 750 lbs

CARGO BED DIMENSIONS

45.9" x 58.2" x 11.5"

TIRES & WHEELS

Front & Rear: 25" x 10"-12"



Provides year-round weather protection to operator and passenger.

DOORS

Provides comfort in inclement weather.

FRONT WINDSHIELD

Blocks wind, dust and other weather elements.

WIPFRS

Helps resist rain, snow and ice buildup on windshield.

HEATER/DEFROST

Keeps operator warm on a cold winter day.

SIDE MIRRORS

Offers operator expanded visibility.

REAR VIEW MIRROR

Expands operator visibility.

POWERED DUMP BED

Available for standard bed model.

HITCH/WINCH MOUNT (FRONT)

Pulls tough loads and secures vehicle to trailer.

HITCH/WINCH MOUNT (REAR)*

Available with standard bed model

SNOW BLADE

Removes snow and ice easily from outdoor surfaces.

BRUSH GUARD*

Protects the front of vehicle.

SKID PROTECTION KIT

Protects MDV underside

A-ARM GUARDS

Provides protection for front suspension components.

WORK LIGHTS

Provides a wide range of light (ideal for tasks at night).

TAIL LIGHTS

Improves vehicle visibility and safety.

BFACON

Provides excellent visibility for vehicle bystanders.

ALUMINUM WHEELS*

Presents a more polished appearance to vehicle.

440 MAG 25 X 10-12*

More aggressive tire for extreme conditions.

GRASSMASTER 24 X 12-12*

Less aggressive tire for turf protection.

WHY HUSTLER IS A BETTER MOWER

SMOOTHTRAK™ STEERING

It's what makes driving a Hustler a better experience. Our mowers have the smoothest and most precise steering. You'll glide around obstacles and make zero-radius turns with ease.

PATENTED PARK BRAKE

Simple, convenient, system that automatically disengages/engages the parking brake when you close/open the steering levers. No extra park brake lever to worry about.

TOUGH FRAME

Heavy-duty fabricated steel frame provides unmatched durability.

SIMPLE DESIGN

Fewer parts means fewer problems and easier service.

HEAVY-DUTY DECK

Our decks are engineered to provide a clean, finished cut every time, with even distribution of grass clippings.

LOW CENTER OF GRAVITY

A reduced profile translates into superior handling and stability.









Side-discharge: 36", 42" & 52"

ENGINE CONFIGURATIONS

Kohler: 19hp 6600 Series HD 22/24hp 7000 Series HD

DECK HEIGHT

Hand-operated: 1.5" to 4.5" (1/2" increments)

DRIVE SYSTEM

Hydro-Gear EZT

SPEED (FORWARD)

6.5 mph

FUEL CAPACITY

3 US gallons

FRONT TIRES

36/42/52": 11" x 4"

DRIVE TIRES

36": 18" x 7" **42/52":** 18" x 8.5"



Side-discharge: 52"

ENGINE CONFIGURATIONS

Kawasaki: 23hp FR691V **Kohler:** 24hp 7000 Series

DECK HEIGHT

Hand-operated: 1.5" to 4.5" (1/2" increments)

DRIVE SYSTEM

Hydro-Gear EZT

SPEED (FORWARD)

6.5 mph

FUEL CAPACITY

3 US gallons

FRONT TIRES

11" x 5"

DRIVE TIRES

18" x 10.5"



Side-discharge: 36", 42", 48", 54" & 60"

ENGINE CONFIGURATIONS

Kohler: 22hp 7000 Series HD 25/26hp 7000 Series PRO

DECK HEIGHT

Foot-operated: 1.5" to 4.5" (1/4" increments)

DRIVE SYSTEM

Hydro-Gear ZT2800 Serviceable w/ spin-on filters

SPEED (FORWARD)

7.5 mph

FUEL CAPACITY

3 US gallons

FRONT TIRES

36/42/48": 13" x 5" **54/60":** 13" x 6.5"

DRIVE TIRES

36/42": 20" x 6.5" **48":** 20" x 8"

54/60": 20" x 12"



Side-discharge: 54"

ENGINE CONFIGURATIONS

Kawasaki: 23hp FR691V

DECK HEIGHT

Foot-operated: 1.5" to 4.5" (1/4" increments)

DRIVE SYSTEM

Hydro-Gear ZT2800 Serviceable w/ spin-on filters

SPEED (FORWARD)

7.5 mph

FUEL CAPACITY

3 US gallons

FRONT TIRES

13" x 6.5"

DRIVE TIRES

20" x 12"



Side-discharge: 48" & 54"

ENGINE CONFIGURATIONS

Kohler: 25hp 7000 Series HD

DECK HEIGHT

Electric/Hydraulic: 1.5" to 4.5" (1/2" increments)

DRIVE SYSTEM

Hydro-Gear ZT2800 Serviceable w/ spin-on filters

SPEED (FORWARD)

7 mph

FUEL CAPACITY

3 US gallons

FRONT TIRES

9" x 3.5"

DRIVE TIRES

48": 20" x 8" **54":** 20" x 10"



Side-discharge: 48", 54" & 60" **Rear-discharge:** 48" & 54"

ENGINE CONFIGURATIONS

Kawasaki: 23hp FR691V 24hp FR730V

Kohler: 23hp Confidant ZT730 25hp Confidant ZT740

DECK HEIGHT

Foot-operated: 1.5" to 4.5" (1/4" increments)

DRIVE SYSTEM

Commercial-duty Hydro-Gear ZT3100 Serviceable w/ spin-on filters

SPEED (FORWARD)

8 mph

FUEL CAPACITY

5 US gallons

FRONT TIRES

48/48"RD: 13" x 5" **54/54RD/60":** 13" x 6.5"

DRIVE TIRES

48/48"RD: 22" x 9.5"

54/54RD/60": 22" x 11"



Side-discharge: 48", 54" & 60"

ENGINE CONFIGURATIONS

Kohler: 23hp Confidant ZT730 w/ Commercial Durability Pkg. 25hp Confidant ZT740 w/ Commercial Durability Pkg.

DECK HEIGHT

Foot-operated: 1.5" to 4.5" (1/4" increments)

DRIVE SYSTEM

Commercial-duty Hydro-Gear ZT3400 Serviceable w/ spin-on filters

SPEED (FORWARD)

9 mph

FUEL CAPACITY

5 US gallons

FRONT TIRES

48": 13" x 5" **54/60":** 13" x 6.5"

DRIVE TIRES

48": 22" x 9.5"

54/60": 23" x 11"



Side-discharge: 52", 60" & 72" **Rear-discharge:** 54" & 60"

ENGINE CONFIGURATIONS

Kawasaki: 23.5hp FX730

Kohler: 29hp 824 EFI

27hp FX850

DECK HEIGHT

Foot-operated: 1" to 5.5" (1/4" increments)

DRIVE SYSTEM

Parker unitized 12cc/rev pump 15.9ci/rev wheel motors

SPEED (FORWARD)

10.5 mph

FUEL CAPACITY

11.7 US gallons

FRONT TIRES

13" x 6.5"

DRIVE TIRES

52/54"RD: 24" x 9.5"

60/60RD/72": 24" x 12"



Side-discharge: 54", 60", 66" & 72" **Rear-discharge:** 60" & 72"

ENGINE CONFIGURATIONS

Kawasaki: 27hp FX850 **Kohler:** 29hp 824 EFI 35hp FX1000 33hp 824 EFI

DECK HEIGHT

Foot-operated: 1" to 5.5" (1/4" increments)

DRIVE SYSTEM

Hydro-Gear 21cc pumps, Parker TG high torque wheel motors, 3 gal. reservoir, oil cooler w/ fan & hot oil shuttle.

SPEED (FORWARD)

14 mph

FUEL CAPACITY

12 US gallons

FRONT TIRES

13" x 6.5"

DRIVE TIRES

54": 24" x 9.5" **60/60RD/66/72/72"RD:** 24" x 12"



Side-discharge: 60", 66" & 72" **Rear-discharge:** 60" & 72"

ENGINE CONFIGURATIONS

Vanguard: 36hp BIG BLOCK™ 37hp BIG BLOCK™ EFI

DECK HEIGHT

Foot-operated: 1" to 5.5" (1/4" increments)

DRIVE SYSTEM

HyperDrive industrial Danfoss slipper piston pumps, Parker TG high torque wheel motors, 3 qal. reservoir, oil cooler w/ 9" fan & hot oil shuttle.

SPEED (FORWARD)

16 mph

FUEL CAPACITY

12 US gallons

FRONT TIRES

13" x 6.5"

DRIVE TIRES

26" x 12"



Side-discharge: 60" & 72" Rear-discharge: 60" & 72"

ENGINE CONFIGURATIONS

Shibaura: 25hp 3cyl. diesel

DECK HEIGHT

Foot-operated: 1" to 5.5" (1/4" increments)

DRIVE SYSTEM

Hydro-Gear 21cc pumps, Parker TG high torque wheel motors, 1.3 gal. reservoir, oil cooler w/ fan & hot oil shuttle.

SPEED (FORWARD)

12 mph

FUEL CAPACITY

14.4 US gallons

FRONT TIRES

13" x 6.5"

DRIVE TIRES

60/72": 24" x 12"



Rear-discharge: 104"

ENGINE CONFIGURATIONS

Vanguard: 36hp BIG BLOCK™ 37hp BIG BLOCK™ EFI

DECK HEIGHT

Hydraulic: 1" to 5.5" (1/4" increments)

DRIVE SYSTEM

HyperDrive industrial Danfoss slipper piston pumps, Parker TG high torque wheel motors, 3 qal. reservoir, oil cooler w/ 9" fan & hot oil shuttle.

SPEED (FORWARD)

11 mph

FUEL CAPACITY

12 US gallons

FRONT TIRES

15" x 6"

DRIVE TIRES

26" x 12"



Side-discharge: 36", 48", 52" & 60"

ENGINE CONFIGURATIONS

Kawasaki: 15hp FS541V

22hp FX691V 23.5hp FX730V **Kohler:** 23hp 824 EFI

25hp 824 EFI

DECK HEIGHT

Hand-operated: 1.5" to 5.5" (1/4" increments)

DRIVE SYSTEM

36":

Hydro-Gear 10cc pump & Parker TL0195 wheel motor

48/52/60":

Hydro-Gear 12cc pump & Parker TL0240 wheel motor

SPEED (FORWARD)

36": 8 mph **48/52/60":** 9 mph

FUEL CAPACITY

36": 6.5 US gallons **48/52/60":** 7.3 US gallons

FRONT TIRES

36": 11" x 4" **48/52/60":** 13" x 5"

DRIVE TIRES

36": 18" x 8.5" **48/52":** 20" x 10"

60": 20" x 12"



Side-discharge: 36", 48" & 54"

ENGINE CONFIGURATIONS

Kawasaki: 14.5hp FS481

18.5hp FS600

15hp FS541

23hp FS691 (electric start)

DECK HEIGHT

Hand-operated: 1.5" to 4.5" (1/4" increments)

DRIVE SYSTEM

Hydro-Gear ZT2800 Serviceable w/ spin-on filters

SPEED (FORWARD)

6.3 mph

FUEL CAPACITY

3.4 US gallons

FRONT TIRES

11" x 4"

DRIVE TIRES

36": 18" x 6.5"

48/54": 20" x 10"

CATCHERS



NON-POWERED CATCHER

Easy-on, easy-off hopper assemblies. The catcher holds 5.4 bushels. Available on all Raptor family mowers.



SIDE CATCHER

Easy-on, easy-off catcher has a 3.5 bushel capacity. Available on the FasTrak, FasTrak SDX, X-ONE, and Super S.



SINGLE BAG CATCHER

Easy-on, easy-off catcher has a three bushel capacity. Available on the 36/48/54" TrimStar



2-BAG POWERED CATCHER

Easy-on, easy-off blower and hopper assemblies. The catcher holds 7.2 bushels. Available on FasTrak and FasTrak SDX.



3-BAG POWERED CATCHER

Easy-on, easy-off blower and hopper assemblies. The 3-bag catcher holds 12 bushels. Available on X-ONE, Super Z, and HyperDrive.



BACVAC

Electric accuated DFS catcher system. Easy-on, easy-off versatility with a 10-bushel capacity. Blower is the same as the 3-bag catcher. Available on X-ONE, Super Z, and HyperDrive.



ENGINE GUARD

Provides protection to the engine and adds to the great look of the machine.

SEMI-PNEUMATIC TIRES

Resists flats better.

FIFX FORKS

Improves operator comfort and provides a more even cut, especially over uneven terrain or at higher speeds.

MULCH KIT

Recycles clippings back into the soil to reclaim nutrients for your lawn.

STRIPE KIT*

Helps provide a professional manicured finish to your lawn. Depending on the mower, rubber flap or steel cylinder options are available.

ARMREST KIT

Provides more comfort while you mow.

STEERING EXTENSION KIT

Allows height adjustment of steering levers to make your mowing experience as comfortable as possible.

LIGHT KIT

Extends your productivity into the late hours. Kit contains two high-quality 12-volt lights with a switch that mounts in the instrument panel.

HOUR METER

Helps keep track of service intervals.

SFAT ISOLATOR*

Provides comfort in the roughest mowing conditions.



Visit hustlerturf.com

for a complete listing and visuals of all attachments.

HUSTLERTURF.COM

YOUR RESOURCE FOR EVERYTHING HUSTLER

TRYING TO DECIDE WHICH HUSTLER MOWER IS THE BEST FOR YOU?

Visit hustlerturf.com to find the Hustler product that's perfect for you.

SITE FEATURES

- Product videos of our mowers in action
- Detailed specifications on all our products
- A compare mowers tool
- \$ Information on financing options

And so much more!



